

JC LIBRARY PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/JC%20Library"
8. In the <Name> field, enter "JC Library on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

ARLINGTON LAW LIBRARY PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/ArlLawLib"
8. In the <Name> field, enter "Arlington Law Pay-for-Print".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "9040", and in the list of printers that appears, click "HP LaserJet 9040".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

JC CLUB PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/JC%20CLUB"
8. In the <Name> field, enter "JC CLUB on RAMESES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

ART AND VISUAL TECHNOLOGY PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/AVT1004"
8. In the <Name> field, enter "AVT Lab on RAMESES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

JC 3RD FLOOR LABS PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/JC%20Labs"
8. In the <Name> field, enter "JC Labs on RAMESESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "9040", and in the list of printers that appears, click "HP LaserJet 9040".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

AQUIA BUILDING ROOM 347 LAB PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/Aquia%20347"
8. In the <Name> field, enter "Aquia 347 on RAMESESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

ECE LABS PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/ECE%20Labs"
8. In the <Name> field, enter "ECE Labs on RAMESSSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "4000", and in the list of printers that appears, click "HP LaserJet 4000 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

ENTERPRISE HALL 4TH FLOOR LAB PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/Enterprise%20420"
8. In the <Name> field, enter "Enterprise 420 on RAMESSSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "", and in the list of printers that appears, click "".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

FENWICK LIBRARY PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/Fenwick"
8. In the <Name> field, enter "Fenwick Library on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

INNOVATION 3RD FLOOR LABS / 2ND & 3RD FLOOR CLASSROOMS PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/IN%20Labs"
8. In the <Name> field, enter "IN Labs on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "9000", and in the list of printers that appears, click "HP LaserJet 9040".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

INFORMATION TECHNOLOGY AND ENGINEERING PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/ITE"
8. In the <Name> field, enter "ITE Labs on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

JC STAR LAB PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/JC%20Star%20Labs"
8. In the <Name> field, enter "JC STAR Lab on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

JC STAR LAB COLOR PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/JC%20Star%20Labs%20Color"
8. In the <Name> field, enter "JC STAR Lab Color on RAMESSSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "", and in the list of printers that appears, click "Xerox Phaser 7400".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

ROBINSON NURSING LAB PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/Robinson%20Nursing"
8. In the <Name> field, enter "Robinson Nursing Lab on RAMESES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "4000", and in the list of printers that appears, click "HP LaserJet 4000 Series".
10. In the Installable Options window, click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

BULL RUN 250, 252 LAB (BLACK & WHITE) PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/PWCLabsBW"
8. In the <Name> field, enter "PWC Labs on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "9000", and in the list of printers that appears, click "HP LaserJet 9040".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

BULL RUN 250 LAB (COLOR QUEUE) PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/PWCLabsCOLOR"
8. In the <Name> field, enter "PWC Color Labs on RAMESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "5550", and in the list of printers that appears, click "HP Color Laserjet 5550".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

MERCER LIBRARY PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/PWCLibrary"
8. In the <Name> field, enter "PWC Library on RAMESESSES".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "8150", and in the list of printers that appears, click "HP LaserJet 8150 Series".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

ARLINGTON CAMPUS LIBRARY PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/ArlLawLib"
8. In the <Name> field, enter "Arlington Law Pay-for-Print".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "9040", and in the list of printers that appears, click "HP LaserJet 9040".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.

OSI PAY-FOR-PRINT INSTALLATION - Mac OS X

NOTE: If the HP Drivers are not available on your computer, you must download them from the Apple Support Site. See <http://support.apple.com/kb/DL907>. Be aware that this is over a 500 MB disk image and may take a while to download.

Installing Popup (only needed for the first Pay-for-Print queue installation)

To install Popup for Mac OS X, obtain the Popup installer and run it:

1. Log in to the client machine, using an administrator account.
2. Download the file <popup.zip> from the Print Services website (<http://printservices.gmu.edu/?p=446>)
3. Unzip Popup.zip and Double-click Popup.dmg to mount the disk image.
4. Double-click <Popup.pkg> to install the Popup software. You may be asked for a username and password - this is your Mac logon, NOT your Mason logon.
5. Select a destination disk. You will only be able to select the startup disk.
6. Click <Install>. The installer automatically installs Popup and required support files.

Pharos Popup will now be running on the client machine and will be automatically launched every time a user logs in.

Configuring Printers

To add Popup printer queues on the client machine:

1. Open System Preferences and click on the <Print & Fax> icon.
2. Click the <+> button.
3. Hold down the <Control> key on the keyboard and click anywhere on the toolbar. From the popup menu that appears, select <Customize Toolbar...>.
4. Drag the <Advanced> icon to the toolbar and close the customization dialog.
5. Click on the <Advanced> button in the toolbar.
6. From the <Type> popup button, select <Pharos Print Server>.
7. In the <Device URI> field, enter "popup://ramesses.mesa.gmu.edu/OSIHub2300"
8. In the <Name> field, enter "OSI pay-for-print".
9. From the <Print Using> popup button, select "Select a Print Driver to Use". In the search box that appears, type "M603", and in the list of printers that appears, click "HP Laserjet 600 M601 M602 M603".
10. In the Installable Options window, check "Duplex Unit" and click Continue.
11. Click <Add>. The new Popup queue will now show up in the list of printers.